

De Dictionariis Dynamicis Pauco Spatio Utentibus

(*lat.* On Dynamic Dictionaries Using Little Space)

Erik D. Demaine
MIT
edemaine@mit.edu

Friedhelm Meyer auf der Heide
U. Paderborn
fmadh@upb.de

Rasmus Pagh
IT U. Copenhagen
pagh@itu.dk

Mihai Pătraşcu
MIT
mip@mit.edu

December 20, 2005

Abstract

We develop dynamic dictionaries on the word RAM that use asymptotically optimal space, up to constant factors, subject to insertions and deletions, and subject to supporting perfect-hashing queries and/or membership queries, each operation in constant time with high probability. When supporting only membership queries, we attain the optimal space bound of $\Theta(n \lg \frac{u}{n})$ bits, where n and u are the sizes of the dictionary and the universe, respectively. Previous dictionaries either did not achieve this space bound or had time bounds that were only expected and amortized. When supporting perfect-hashing queries, the optimal space bound depends on the range $\{1, 2, \dots, n + t\}$ of hashcodes allowed as output. We prove that the optimal space bound is $\Theta(n \lg \lg \frac{u}{n} + n \lg \frac{n}{t+1})$ bits when supporting only perfect-hashing queries, and it is $\Theta(n \lg \frac{u}{n} + n \lg \frac{n}{t+1})$ bits when also supporting membership queries. All upper bounds are new, as is the $\Omega(n \lg \frac{n}{t+1})$ lower bound.

1 Introduction

The dictionary is one of the most fundamental data-structural problems in computer science. In its basic form, a dictionary allows some form of “lookup” on a set S of n objects, and in a dynamic dictionary, elements can be inserted into and deleted from the set S . However, being such a well-studied problem, there are many variations in the details of what exactly is required of a dictionary, particularly the lookup operation, and these variations greatly affect the best possible data structures. To enable a systematic study, we introduce a unified view consisting of three possible types of queries that, in various combinations, capture the most common types of dictionaries considered in the literature:

Membership: Given an element x , is it in the set S ?

Retrieval: Given an element x in the set S , retrieve r bits of data associated with x . (The outcome is undefined if x is not in S .) The associated data can be set upon insertion or with another update operation. We state constant time bounds for these operations, which ignore the $\Theta(r)$ divided by word size required to read or write r bits of data.

Perfect hashing: Given an element x in the set S , return the *hashcode* of x . The data structure assigns to each element x in S a unique hashcode in $[n + t]$,¹ for a specified parameter t (e.g.,

¹The notation $[k]$ represents the set $\{0, 1, \dots, k - 1\}$.

$t = 0$ or $t = n$). Hashcodes are *stable*: the hashcode of x must remain fixed for the duration that x is in S . (Again the outcome is undefined if x is not in S .)

Standard hash tables generally support membership and retrieval. Some hash tables with open addressing (no chaining) also support perfect hashing, but the expected running time is superconstant unless $t = \Omega(n)$. However, standard hash tables are not particularly space efficient if n is close to u : they use $O(n)$ words, which is $O(n \lg u)$ bits for a universe of size u , whereas only $\log_2 \binom{u}{n} = \Theta(n \lg \frac{u}{n})$ bits (assuming $n \leq u/2$) are required to represent the set S .²

Any dictionary supporting membership needs at least $\log_2 \binom{u}{n}$ bits of space. But while such dictionaries are versatile, they are large, and membership is not always required. For example, Chazelle et al. [3] explore the idea of a static dictionary supporting only retrieval, with several applications related to Bloom filters. For other data-structural problems, such as range reporting in one dimension [10, 1], the only known way to get optimal space bounds is to use a dictionary that supports retrieval but not membership. The retrieval operation requires storing the r -bit data associated with each element, for a total of at least rn bits. If r is asymptotically less than $\lg \frac{u}{n}$, then we would like to avoid actually representing the set S . However, as we shall see, we still need more than rn bits even in a retrieval-only dictionary.

Perfect hashing is stronger than retrieval, up to constant factors in space, because we can simply store an array mapping hashcodes to the r -bit data for each element. Therefore we focus on developing dictionaries supporting perfect hashing, and obtain retrieval for free. Conversely, lower bounds on retrieval apply to perfect hashing as well. Because hashcodes are stable, this approach has the additional property that the associated data never moves, which can be useful, e.g. when the data is large or is stored on disk.

Despite substantial work on dictionaries and perfect hashing (see Section 1.2), no dynamic dictionary data structure supporting any of the three types of queries simultaneously achieves (1) constant time bounds with high probability and (2) *compactness* in the sense that the space is within a constant factor of optimal.

1.1 Our results

We characterize the optimal space bound, up to constant factors, for a dynamic dictionary supporting any subset of the three operations, designing data structures to achieve these bounds and in some cases improving the lower bound. To set our results in context, we first state the two known lower bounds on the space required by a dictionary data structure. First, as mentioned above, any dictionary supporting membership (even static) requires $\Omega(n \lg \frac{u}{n})$ bits of space, assuming that $n \leq u/2$. Second, any dictionary supporting retrieval must satisfy the following recent and strictly weaker lower bound:

Theorem 1. [10] *Any dynamic dictionary supporting retrieval (and therefore any dynamic dictionary supporting perfect hashing) requires $\Omega(n \lg \lg \frac{u}{n})$ bits of space in expectation, even when the associated data is just $r = 1$ bit.*

Surprisingly, for dynamic dictionaries supporting perfect hashing, this lower bound is neither tight nor subsumed by a stronger lower bound. In Section 5, we prove our main lower-bound result, which complements Theorem 1 depending on the value of t :

²Throughout this paper, $\lg x$ denotes $\log_2(2 + x)$, which is positive for all $x \geq 0$.

Dictionary queries supported		Optimal space	Reference
retrieval	—	$\Theta(n \lg \lg \frac{u}{n} + nr)$	O in §4; Ω in [10]
retrieval + perfect hashing	—	$\Theta(n \lg \lg \frac{u}{n} + n \lg \frac{n}{t+1} + nr)$	O in §4; Ω in §5 and [10]
membership	—	$\Theta(n \lg \frac{u}{n})$	O in §3; Ω is standard
membership + retrieval	—	$\Theta(n \lg \frac{u}{n} + nr)$	O in §3; Ω is standard
membership + retrieval + perfect hashing	—	$\Theta(n \lg \frac{u}{n} + n \lg \frac{n}{t+1} + nr)$	O in §3; Ω in §5

Table 1: Optimal space bounds for all types of dynamic dictionaries supporting operations in constant time with high probability. The upper bounds supporting retrieval without perfect hashing can be obtained by substituting $t = n$. The $\Theta(n \lg \frac{u}{n})$ bounds assume $n \leq u/2$; more precisely, they are $\Theta(\log_2 \binom{u}{n})$.

Theorem 2. *Any dynamic dictionary supporting perfect hashing with hashcodes in $[n + t]$ must use $\Omega(n \lg \frac{n}{t+1})$ bits of space in expectation, regardless of the query and update times, assuming that $u \geq n + (1 + \varepsilon)t$ for some constant $\varepsilon > 0$.*

Our main upper-bound result is a dynamic dictionary supporting perfect hashing that matches the sum of the two lower bounds given by Theorems 1 and 2. Specifically, Section 4 proves the following theorem:

Theorem 3. *There is a dynamic dictionary that supports updates and perfect hashing with hashcodes in $[n+t]$ (and therefore also retrieval queries) in constant time per operation, using $O(n \lg \lg \frac{u}{n} + n \lg \frac{n}{t+1})$ bits of space. The query and space complexities are worst-case, while updates are handled in constant time with high probability.*

To establish this upper bound, we find it necessary to also obtain optimal results for dynamic dictionaries supporting both membership and perfect hashing. In Section 3, we find that the best possible space bound is a sum of two lower bounds in this case as well:

Theorem 4. *There is a dynamic dictionary that supports updates, membership queries, and perfect hashing with hashcodes in $[n+t]$ (and therefore also retrieval queries) in constant time per operation, using $O(n \lg \frac{u}{n} + n \lg \frac{n}{t+1})$ bits of space. The query and space complexities are worst-case, while updates are handled in constant time with high probability.*

In the interest of Theorems 3 and 4, we develop a family of *quotient hash functions*. These hash functions are permutations of the universe; they and their inverses are computable in constant time given a small-space representation; and they have natural distributional properties when mapping elements into buckets. (In contrast, we do not know any hash functions with these properties and, say, 4-wise independence.) These hash functions may be of independent interest.

Table 1 summarizes our completed understanding of the optimal space bounds for dynamic dictionaries supporting updates and any combination of the three types of queries in constant time with high probability. All upper bounds are new, as are the lower bounds for perfect hashing with or without membership.

1.2 Previous work

There is a huge literature on various types of dictionaries, and we do not try to discuss it exhaustively. A milestone in the history of constant-time dictionaries is the realization that the space

and query bounds can be made worst case (construction and updates are still randomized). This was achieved in the static case by Fredman, Komlós, and Szemerédi [7] with a dictionary that uses $O(n \lg u)$ bits. Starting with this work, research on the dictionary problem evolved in two orthogonal directions: creating dynamic dictionaries with good update bounds, and reducing the space.

In the dynamic case, the theoretical ideal is to make updates run in constant time per operation with high probability. After some work, this was finally achieved by the high-performance dictionaries of Dietzfelbinger and Meyer auf der Heide [4]. However, this desiderate is usually considered difficult to achieve, and most dictionary variants that have been developed since then fall short of it, by having amortized and/or expected time bounds (not with high probability).

As far as space is concerned, the goal was to get closer to the information theoretic lower bound of $\log_2 \binom{u}{n}$ bits for membership. Brodnik and Munro [2] were the first to solve static membership using $O(n \lg \frac{u}{n})$ bits, which they later improved to $(1 + o(1)) \log_2 \binom{u}{n}$. Pagh [11] solves the static dictionary problem with space $\log_2 \binom{u}{n}$ plus the best lower-order term known to date. For the dynamic problem, the best known result is by Raman and Rao [13], achieving space $(1 + o(1)) \log_2 \binom{u}{n}$. Unfortunately, in this structure, updates take constant time amortized and in expectation (not with high probability). These shortcomings seem inherent to their technique.

Thus, none of the previous results simultaneously achieve good space and update bounds, a gap filled by our work. Another shortcoming of the previous results lies in the understanding of dynamic dictionaries supporting perfect hashing. The dynamic perfect hashing data structure of Dietzfelbinger et al. [5] supports membership and a weaker form of perfect hashing in which hashcodes are not stable, though only an amortized constant number of hashcodes change per update. This structure achieves a suboptimal space bound of $O(n \lg u)$ and updates take constant time amortized and in expectation. No other dictionaries can answer perfect hashing queries except by associating an explicit hashcode with each element, which requires $\Theta(n \lg n)$ additional bits. Our result for membership and perfect hashing is the first achieving $O(n \lg \frac{u}{n})$ space, even for weak update bounds. A more fundamental problem is that all dynamic data structures supporting perfect hashing use $\Omega(n \lg \frac{u}{n})$ space, even when we do not desire membership queries so the information theoretic lower bound does not apply.

Perfect hashing in the static case has been studied intensely, and with good success. There, it is possible to achieve good bounds with $t = 0$, and this has been the focus of attention. When membership is required, a data structure using space $(1 + o(1)) \lg \binom{u}{n}$ was finally developed by [12]. Without membership, the best known lower bound is $n \log_2 e + \lg \lg u + O(\lg n)$ bits [6], while the best known data structure uses $n \log_2 e + \lg \lg u + O(n \frac{(\lg \lg n)^2}{\lg n} + \lg \lg \lg u)$ bits [8]. Our lower bound depending on t shows that in the dynamic case, even $t = O(n^{1-\varepsilon})$ requires $\Omega(n \lg n)$ space, making the problem uninteresting. Thus, we identify an interesting hysteresis phenomenon, where the dynamic nature of the problem forces the data structure to remember more information and use more space.

Retrieval without membership was introduced as “Bloomier filters” by Chazelle et al. [3]. The terminology is by analogy with the Bloom filter, a static structure supporting approximate membership (a query we do not consider in this paper) in $\Theta(n \lg \frac{1}{\varepsilon})$ space. Bloomier filters are static dictionaries supporting retrieval using $O(nr + \lg \lg u)$ bits of space. For dynamic retrieval of $r = 1$ bit without membership, Chazelle et al. [3] show that $\Omega(n \lg \lg u)$ bits of space can be necessary in the case $n^{3+\varepsilon} \leq u \leq 2^{n^{O(1)}}$. Their bound is improved in [10], giving Theorem 1. On the upper-bound side, the only previous result is that of [10]: dynamic perfect hashing for $t = \Theta(n/\lg u)$

using space $O(n \lg \lg u)$. Our result improves $\lg \lg u$ to $\lg \lg \frac{u}{n}$, and offers the full tradeoff depending on t .

1.3 Details of the model

A few details of the model are implicit throughout this paper. The model of computation is the Random Access Machine with cells of $\lg u$ bits (the word RAM). Because we ignore constant factors, we assume without loss of generality that u , t , and b are all exact powers of 2.

In dynamic dictionaries supporting perfect hashing, n is not the current size of the set S , but rather n is a fixed upper bound on the size of S . Similarly, t is a fixed parameter. This assumption is necessary because of the problem statement: hashcodes must be stable and the hashcode space is defined in terms of n and t . This assumption is not necessary for retrieval queries, although we effectively assume it through our reduction to perfect hashing. Our results leave open whether a dynamic dictionary supporting only retrieval can achieve space bounds depending on the current size of the set S instead of an upper bound n ; such a result would in some sense improve the first row of Table 1.

On the other hand, if we want a dynamic dictionary supporting membership but not perfect hashing (but still supporting retrieval), then we can rebuild the data structure whenever $|S|$ changes by a constant factor, and change the upper bounds n and t then. This global rebuilding can be amortized at the cost of increasing space by a constant factor, using the standard tricks involving two copies of the data structure with different values of n and t .

Another issue of the model of memory allocation. We assume that the dynamic data structure lives in an infinite array of word-length cells. At any time, the space usage of the data structure is the length of the shortest prefix of the array containing all nonblank cells. This model charges appropriately for issues such as external fragmentation (unlike, say, assuming that the system provides memory-block allocation) and is easy to implement in practical systems. See [13] for a discussion of this issue.

Finally, we prove that our insertions work in constant time with high probability, that is, with probability $1 - 1/n^c$ for any desired constant $c > 0$. Thus, with polynomially small probability, the bounds might be violated. For a with-high-probability bound, the data structure could fail in this low-probability event. To obtain the bounds also in expectation and with zero error, we can freeze the high-performance data structure in this event and fall back to a simple data structure, e.g., a linked list of any further inserted elements. Any operations (queries or deletions) on the old elements are performed on the high-performance data structure, while any operations on new elements (e.g., insertions) are performed on the simple data structure. The bounds hold in expectation provided that the data structure is used for only a polynomial amount of time.

2 Quotient Hash Functions

We define a quotient hash function in terms of three parameters: the universe size u , the number of buckets b , and an upper bound n on the size of the sets of interest. A quotient hash function is simply a bijective function $h : [u] \rightarrow [b] \times [\frac{u}{b}]$. We interpret the first output as a bucket, and the second output as a “quotient” which, together with the bucket, uniquely identifies the element. We write $h(x)_1$ and $h(x)_2$ when we want to refer to individual outputs of h .

We are interested in sets of elements $S \subset [u]$ with $|S| \leq n$. For such a set S and an element x ,

define $\mathcal{B}_h(S, x) = \{y \in S \mid h(y)_1 = h(x)_1\}$, i.e. the set of elements mapped to the same bucket as x . For a threshold t , define $\mathcal{C}_h(S, t) = \{x \in S \mid \#\mathcal{B}_h(S, x) \geq t\}$, i.e. the set of elements which map to buckets containing at least t elements. These are elements that “collide” beyond the allowable threshold.

Theorem 5. *There is an absolute constant $\alpha < 1$ such that for any u, n and b , there exists a family of quotient hash functions $\mathcal{H} = \{h : [u] \rightarrow [b] \times [\frac{u}{b}]\}$ satisfying:*

- an $h \in \mathcal{H}$ can be represented in $O(n^\alpha)$ space and sampled in $O(n^\alpha)$ time.
- h and h^{-1} can be evaluated in constant time on a RAM;
- for any fixed $S \subset [u], |S| \leq n$ and any $\delta < 1$, the following holds with high probability over the choice of h :

$$\begin{cases} \text{if } b \geq n, & \#\mathcal{C}_h(S, 2) \leq 2\frac{n^2}{b} + n^\alpha \\ \text{if } b < n, & \#\mathcal{C}_h(S, (1 + \delta)\frac{n}{b} + 1) \leq 2ne^{-\delta^2 n/(3b)} + n^\alpha \end{cases}$$

It is easy to get an intuitive understanding of these bounds. In the case $b \geq n$, the expected number of collisions generated by universal hashing (2-independent hashing) would be $\frac{n^2}{b}$. For $b < n$, we can compare against a highly independent hash function. Then, the expected number of elements that land in overflowing buckets is $ne^{-\delta^2 n/(3b)}$, by a simple Chernoff bound. Our family matches these two bounds, up to a constant factor and an additive error term of $O(n^\alpha)$, which are both negligible for our purposes. The advantage of our hash family is two-fold. First, it gives quotient hash functions, which is essential for our data structure. Second, the number of overflowing elements is guaranteed with high probability, not just in expectation.

2.1 Permutation hash functions

It is useful to relate the concept of quotient hash functions to another concept, namely permutation hash functions. Such functions are bijections from the universe to itself. We call a family of permutations k -independent if, for any input set $S \subset [u]$ with at most k elements, the output of a randomly drawn hash function applied to the elements of S is indistinguishable from the output of a truly random permutation.

It is easy to construct 2-independent permutations. A standard construction for universal hashing is to map $x \mapsto ax + b$, where a and b are random, and all elements come from a field \mathbb{Z}_u . Maintaining the same family with the restriction $a \neq 0$ gives 2-independent permutations. Unfortunately, it is not known how to construct good k -wise independent families, for $k > 3$. In fact, small families are not even known to exist. If one is satisfied with almost k -wise independence, small families can be constructed (see [9] and citations therein), but it is not known how to achieve constant evaluation time.

A permutation hash function can be converted trivially into a quotient hash function: the bucket is given by some $\lg b$ bits of the output, and the quotient is the rest. To achieve bounds similar to that of Theorem 5, all we need is a family of permutations with sufficiently high independence, but as mentioned already, we do not know how to construct one. The trick behind Theorem 5 is to recognize that permutation families, though theoretically clean and interesting, are stronger than what we need. We can instead get away with slightly weaker concentration guarantees. One should note that the family of hash functions we propose does not have any k -independence guarantee.

2.2 Construction of the hash family

It will be convenient to assume that $u \leq n^c$, for some constant c . If this does not hold, we can reduce the universe to n^c , for some big enough c , by the following:

Transformation 1. *Apply a random 2-independent permutation on the original universe. Keep only the first $c \lg n$ bits of the result, and make the rest part of the quotient.*

The expected number of collisions generated by keeping only $c \lg n$ bits is bounded by n^{2-c} . Thus, by choosing a large enough constant c , we can avoid any collision with the required high-probability guarantee.

From now on, it will be convenient to interpret the universe as a two-dimensional table, with $n^{3/4}$ columns, and $\frac{u}{n^{3/4}}$ rows. The plan is to use this column structure as a means of generating independence. Imagine a hash function that generates few collisions in expectation, but not necessarily with high probability. However, we can apply a *different* random hash function inside each column. The expectation is unchanged, but now Chernoff bounds can be used to show that we are close to the expectation with high probability, because the behavior of each column is independent.

However, to put this plan into action, we need to guarantee that the elements of S are spread rather uniformly across columns. We do this by applying a random circular shift to each row.

Transformation 2. *Consider a highly independent hash function mapping row numbers to $[n^{3/4}]$. Inside each row, apply a circular shift by the hash function of that row.*

Note that the number of rows can be pretty large (larger than n), so we cannot afford a truly random shift for each row. However, the number of rows is polynomial, and we can use Siegel's family of highly independent hash functions [15] to generate highly independent shifts. These hash functions can be represented in space $n^{1-\Omega(1)}$, take constant time to evaluate, and are $n^{\Omega(1)}$ -independent with high probability.

Because shifts are uniform, the expected number of items in each column is $\frac{|S|}{n^{3/4}} \leq n^{1/4}$. We can apply Chernoff bounds for random variables with limited independence to show that a column does not have more than $n^{1/4} + n^{1/5}$ elements with very high probability. Specifically, we apply [14, Theorem 5.I]. Let X_i be the indicator random variable, specifying whether an element from S is mapped to our column of interest in row i . Then $\mu = E[\sum X_i] = n^{1/4}$. We are interested in the event $\sum X_i \geq \mu + n^{1/5}$. The theorem guarantees that, for independence $k = O\left(\frac{(n^{1/5})^2}{\mu}\right) = O(n^{0.15})$, the probability of this event is $e^{-\Omega(k)}$. Because Siegel's hash functions give $k = n^{\Omega(1)}$, this event happens with exponentially small probability.

In the remainder, we consider only $n^{1/4}$ elements of S from each column. In the worst case, all the excess values from S will be mapped to buckets that are already full due to these "normal" elements. However, the total number of excess elements is at most $n^{3/4} \cdot n^{1/5} = n^{0.95}$ with high probability, and this is swallowed by our n^α error term.

The case $b \geq n$. Remember that, in this case, our goal is to get close to the collisions generated by a 2-independent permutation, but with high probability. As explained above, we can achieve this effect through column independence.

Transformation 3. *Apply a 2-universal permutation inside each column. For each column, the permutation is chosen independently at random.*

We have only $n^{3/4}$ columns, and a 2-universal permutation takes $O(\lg n)$ bits to represent, so we can afford to store all these permutations. To complete the construction, break each column into $\frac{b}{n^{3/4}}$ equal-sized buckets. The position within a bucket is thrown away as part of the quotient.

Using a classic Chernoff bound, we show that imposing the bucket granularity does not generate too many collisions. Let X_i be the number of elements in column i that are mapped to the same table cell as some other element. Because we look at only $n^{1/4}$ elements in each column, $X_i \in [0, n^{1/4}]$. Let $\mu = E[\sum X_i]$; by linearity of expectation, $\mu \leq \frac{n^2}{b}$. By the Chernoff bound, $\Pr[\sum X_i \geq 2\mu + n^{3/4}] \leq \exp(-\Omega(\frac{\mu + n^{3/4}}{n^{1/4}})) = e^{-\Omega(\sqrt{n})}$. Thus, with exponentially high probability, the number of collisions is bounded by $\frac{2n^2}{b} + n^{3/4}$. This completes the analysis.

The case $b < n$. Ideally, each bucket should contain $\frac{n}{b}$ elements. We are interested in buckets of size exceeding $(1 + \delta)\frac{n}{b}$, and want to bound the number of elements in such buckets close to the expected number for a highly independent permutation.

As explained already, we do not know any family of highly independent permutations that can be represented with small space and evaluated efficiently. Instead, we will revert to the brute-force solution of representing truly random permutations. To use this idea and keep the space small, we need two tricks. The first trick is to generate and store fewer permutations than columns. It turns out that re-using the same permutation for multiple columns still gives enough independence.

Note, however, that we cannot even afford to store a random permutation inside a single column, because columns might have more than n elements. However, we can reduce columns to size \sqrt{n} as follows. Use Transformation 3 with $b' = n^{5/4}$. This puts elements into $n^{5/4}$ *first-order buckets* (\sqrt{n} buckets per column), with a negligible number of collisions. Thus, we can now work at the granularity of first-order buckets, and ignore the index within a bucket of an element.

Transformation 4. *Group columns into $n^{1/4}$ equal-sized groups. For each group, generate a random permutation on \sqrt{n} positions, and apply it to the first-order buckets inside each column of the group.*

The space required to represent the permutations is $O(n^{3/4} \lg n)$ bits. To complete the construction, we just break columns into $\frac{b}{n^{3/4}}$ equal-sized buckets. In other words, $\frac{n^{5/4}}{b}$ first-order buckets are grouped into an output bucket. If $b \leq n^{3/4}$, we are already done, since it suffices to know elements are well distributed in columns.

We begin by analyzing the probability that a fixed element x ends up in an overflowing bucket. The events that other elements end up in the same bucket are negatively correlated (because we have permutations). Thus, we can upper bound the probability by assuming that the other $n^{1/4}$ elements can be independently mapped to x 's bucket with probability $\frac{n^{3/4}}{b}$. Then, by the Chernoff bound, the probability that $(1 + \delta)\frac{n}{b}$ other elements get mapped to x 's bucket is at most $e^{-\delta^2 n / (3b)}$. This is the probability x that is in an overflowing bucket.

Now let X_i be the number of elements that overflow in column group i . We have $X_i \in [0, n^{3/4}]$ and $E[\sum X_i] = \mu \leq ne^{-\delta^2 n / (3b)}$. Then, by the Chernoff bound, $\Pr[\sum X_i \geq 2\mu + n^\alpha] \leq \exp(-\Omega(\frac{\mu + n^\alpha}{n^{3/4}})) = e^{-n^{\Omega(1)}}$ if $\alpha > \frac{3}{4}$. This completes the analysis.

2.3 Coping with a dynamic set

We now discuss an important subtlety in the probabilistic analysis needed by our data structure. In general, we are dealing with a dynamic set S , and mapping it through a quotient hash function.

The analysis above shows that, for any fixed S , the number of overflow elements is small. However, imagine an element x that becomes an overflow element at the time of insertion. Then, as some other element y is deleted, x might not be in an overflow condition in the old set, but our data structure has already handled it as an overflow element. Thus, it does not suffice to look at the overflow conditions for a fixed set S . The relevant quantity is the number of elements that caused an overflow at the time of insertion.

Fortunately, the same bounds from above hold, were n is an upper bound on the size of S . This follows from the same analysis, but interpreted in a more subtle way. The probability that an insertion causes an overflow is unchanged. By linearity of expectation (over the elements currently in the set S), the expected number of elements that cause an overflow when inserted is the same as the expected bounds from above. But whether an element causes an overflow depends only on the random coins pertaining to the column of the element. Thus, by the same independence considerations as above, this expectation is matched with high probability.

3 Solution for Membership and Perfect Hashing

There are two easy cases. First, if $u = \Omega(n^{1.5})$, then the space bound is $\Theta(n \lg u)$. In this case, a solution with hashcode range exactly $[n]$ can be obtained by using a high-performance dictionary [4]. We store an explicit hashcode as the data associated with each value, and maintain a list of free hashcodes. This takes $O(n \lg n + n \lg u) = O(n \lg u)$ bits. Second, if $t = O(n^\alpha)$, for $\alpha < 1$, then the space bound is $\Theta(n \lg n)$. Because $u = O(n^{1.5})$, we can use the same brute-force solution. In the remaining cases, we can assume $t \leq \frac{n^2}{u}$ (we are always free to decrease t), so that the space bound is dominated by $\Theta(n \lg \frac{n}{t})$.

The data structure is composed of three levels. An element is inserted into the first level that can handle it. The first-level filter outputs hashcodes in the range $[n + \frac{t}{3}]$, and handles most elements of S : at most $c_1 t$ elements (for a constant $c_1 \leq \frac{1}{3}$ to be determined) are passed on to the second level, with high probability. The goal of the second-level filter is to handle all but $O(\frac{n}{\lg n})$ elements with high probability. If $c_1 t \leq \frac{n}{\lg n}$, this filter is not used. Otherwise, we use this filter, which outputs hashcodes in the range $[\frac{t}{3}]$. Finally, the third level is just a brute-force solution using a high-performance dictionary. Because it needs to handle only $\min\{O(\frac{n}{\lg n}), c_1 t\}$ elements, the output range can be $[\frac{t}{3}]$ and the space is $O(n)$ bits. This dictionary can always be made to work with high probability in n (e.g. by inserting dummy elements up to $\Omega(\sqrt{n})$ values).

A query tries to locate the element in all three levels. Because all levels can answer membership queries, we know when we've located an element, and we can just obtain a hashcode from the appropriate level. Similarly, deletion just removes the element from the appropriate level.

3.1 The first-level filter

Let $\mu = c_2(\frac{n}{t})^3$, for a constant c_2 to be determined. We use a quotient hash function mapping the universe into $b = \frac{n}{\mu}$ buckets. Then, we expect μ elements per bucket, but we will allow for an additional $\mu^{2/3}$ elements. By Theorem 5, the number of elements that overflow is with high probability at most $ne^{-\Omega(\frac{1}{\sqrt[3]{\mu}})} + n^\alpha$. For big enough c_2 , this is at most $\frac{c_1}{2}t$ (remember that we are in the case when n^α is negligible).

Now we describe how to handle the elements inside each bucket. For each bucket, we have a hashcode space of $[\mu + \mu^{2/3}]$. Then, the code space used by the first-level filter is $n + \frac{n}{\sqrt[3]{\mu}} \leq n + \frac{t}{3}$ for

big enough c_2 . We use a high-performance dictionary inside each bucket, which stores hashcodes as associated data. We also store a list of free hashcodes to facilitate insertions. To analyze the space, observe that a hashcode takes only $O(\lg \frac{n}{t})$ bits to represent. In addition, the high-performance dictionary need only store the *quotient* of an element. Indeed, the element is uniquely identified by the quotient and the bucket, so to distinguish between the elements in a bucket we only need a dictionary on the quotients. Thus, we need $O(\lg \frac{u\mu}{n}) = O(\lg \frac{u}{n} + \lg \frac{n}{t})$ bits per element.

The last detail we need to handle is what happens when an insertion in the bucket's dictionary fails. This happens with probability μ^{-c_3} for each insertion, where c_3 is any desired constant. We can handle a failed insertion by simply passing the element to the second level. The expected number of elements whose insertion at the first level failed is $n\mu^{-c_3} \leq \frac{c_1}{4}t$ for big enough c_3 . Since we can assume $t = \Omega(n^{5/6})$, we have $\mu = O(\sqrt{n})$ and $b = \Omega(\sqrt{n})$. This means we have $\Omega(\sqrt{n})$ dictionaries, which use independent random coins. Thus, a Chernoff bound guarantees that we are not within twice this expectation with probability at most $e^{-\Omega(t/\sqrt{n})} = e^{-n^{\Omega(1)}}$ because $t = \Omega(n^\alpha)$. Thus, at most $c_1 t$ elements in total are passed to the second level with high probability.

3.2 The second-level filter

We first observe that this filter is used only when $\lg \frac{u}{n} = O(\sqrt[4]{\lg n})$. Indeed, $t \leq \frac{n^2}{u}$, so when $\lg \frac{u}{n} = \Omega(\sqrt[4]{\lg n})$, we have $t = o(\frac{n}{\lg n})$, and we can skip directly to the third level.

We use a quotient hash function mapping the universe to $b = \frac{c_1 t}{\sqrt[4]{\lg n}}$ buckets. We allow each bucket to contain up to $2\sqrt[4]{\lg n}$ elements; overflow elements are passed to the third level. By Theorem 5, at most $n/2^{\Omega(\sqrt[4]{\lg n})} = o(n/\lg n)$ elements are passed to the third level, with high probability.

Because buckets contain $O(\sqrt[4]{\lg n})$ elements of $O(\sqrt[4]{\lg n})$ bits each, we can use word-packing tricks to handle buckets in constant time. However, the main challenge is space, not time. Observe that we can afford only $O(\lg \frac{u}{n})$ bits per element, which can be much smaller than $O(\sqrt[4]{\lg n})$. This means that we cannot even store a permutation of the elements inside a bucket. In particular, it is information-theoretically impossible even to store the elements of a bucket in an arbitrary order!

Coping with this challenge requires a rather complex solution: we employ $O(\lg \lg n)$ levels of filters and permutation hashing inside each bucket. Let us describe the level- i filter inside a bucket. First, we apply a random permutation to the bucket universe (the quotient of the elements inside the bucket). Then, the filter breaks the universe into $\frac{c_4 \sqrt[4]{\lg n}}{2^i}$ equal-sized *tiles*. The filter consists of an array with one position per tile. Such a position could either be empty, or it stores the index within the tile of an element mapped to that tile (which is a quotient induced by the permutation at this level). Observe that the size of the tiles doubles for each new level, so the number of entries in the filter array halves. In total, we use $h = \frac{1}{8} \lg \lg n$ filters, so that the number of tiles in any filter is $\Omega(\sqrt[8]{\lg n})$.

Conceptually, an insertion traverses the filters sequentially starting with $i = 0$. It applies permutation i to the element, and checks whether the resulting tile is empty. If so, it stores the element in that tile; otherwise, it continues to the next level. Elements that cannot be mapped in any of the h levels are passed on to the third level of our big data structure. A deletion simply removes the element from the level where it is stored. A perfect-hash query returns the identifier of the tile where the element is stored. Because the number of tiles decreases geometrically, we use less than $2c_4 \sqrt[4]{\lg n}$ hashcodes per bucket. We have $\frac{c_1 t}{\sqrt[4]{\lg n}}$ buckets in total and we can make c_1 as small as we want, so the total number of hashcodes can be made at most $\frac{t}{3}$.

We now analyze the space needed by this construction. Observe that the size of the bucket universe is $v = u \cdot \frac{\sqrt[4]{\lg n}}{c_1 t}$. Thus, at the first level, the filter requires $\lg \frac{v}{c_4 \sqrt[4]{\lg n}}$ bits to store an index within each tile. At each consecutive level, the number of bits per tile increases by one (because tiles double in size), but the number of tiles halves. Thus, the total space is dominated by the first level, and it is $O(\lg \frac{u}{t}) = O(\lg \frac{u}{n} + \lg \frac{n}{t})$ bits per element.

Bounding the unfiltered elements. We now want to bound the expected number of elements in a bucket that are not handled by any of these filters. In doing so, we assume that the permutation hash functions at each level are truly random; this will be justified later. We assume that, at level i , there are at most $\frac{2\sqrt[4]{\lg n}}{2^i c_5}$ elements that haven't been handled by previous levels (for c_5 to be determined). When analyzing filter i , there is a probability that this condition will not be met at level $i + 1$. If this happens, we just assume pessimistically that all remaining elements are rejected by all filters. However, the probability of this event will be small enough, so the total expectation of the number of rejected elements will be small.

At level i there are $\frac{c_4 \sqrt[4]{\lg n}}{2^i}$ tiles, so an element has probability at most $\frac{2}{c_4} 2^{-(c_5-1)i}$ of conflicting with another element. Then the expected number of conflicting elements is $\mu = \frac{4\sqrt[4]{\lg n}}{c_4} 2^{-(2c_5-1)i}$. Conflicts are negatively correlated, so we can apply a Chernoff bound on the number of elements not handled at this level. We want to analyze the case when there are more than $(1 + \delta)\mu = \frac{2\sqrt[4]{\lg n}}{2^{c_5(i+1)}}$ unhandled elements (which invalidates our assumption at level $i + 1$). We have $1 + \delta = \frac{c_4}{2^{c_5+1}} 2^{(c_5-1)i}$. By Chernoff bounds, the probability of this event is at most $(e^\delta (1 + \delta)^{-(1+\delta)})^\mu \leq \left(\frac{e}{1+\delta}\right)^{(1+\delta)\mu}$. We now distinguish three ranges for i :

- As long as $(1 + \delta)\mu \geq \sqrt[8]{\lg n}$, observe that, for any c_5 , c_4 can be chosen large enough so that $1 + \delta > 2e$, so the probability of the bad event is $2^{-\Omega(\sqrt[8]{\lg n})}$. Thus, the contribution of this bad event to the total expectation is $o(\frac{1}{\lg n})$, even summed over all levels.
- As long as $(1 + \delta)\mu \geq 16$, the probability is bounded by $(\frac{e}{1+\delta})^{16}$. Note that since $(1 + \delta)\mu \leq \sqrt[8]{\lg n}$, we have $1 + \delta = \Omega(\sqrt[8]{\lg n})$. Then, the failure probability is $O(\frac{1}{\lg^2 n})$, so the contribution to the total expectation is $o(\frac{1}{\lg n})$, even summing over all levels.
- If $(1 + \delta)\mu \leq 16$, we only have to handle $O(1)$ elements. The probability of any conflict is inversely proportional to the number of tiles, which is $\Omega(\sqrt[8]{\lg n})$. The probability of a persistent conflict decreases exponentially with the number of levels, so after $O(1)$ levels, we expect $o(\frac{1}{\lg n})$ conflicts. For large enough c_5 , $(1 + \delta)\mu$ decreases sufficiently rapidly that we will actually have the required $O(1)$ levels in this range.

Implementation details. We now discuss how to implement the conceptual ideas from above, and make operations take constant time. Note that $\lg v = O(\sqrt[4]{\lg n})$. Thus, the output of $O(\lg \lg n)$ permutation functions takes $O(\sqrt[4]{\lg n} \cdot \lg \lg n)$ bits, and easily fits in a word. For now, assume that we can evaluate the output of all these functions in constant time. The description of an entire bucket takes $O(\sqrt[4]{\lg n} \cdot \lg \frac{u}{n}) = O(\sqrt{\lg n})$ bits, so a bucket can also be manipulated as a word. Then, updates and queries of a bucket are functions on a range of $O(\sqrt[4]{\lg n} \cdot \lg \lg n)$ bits for the argument, and $O(\sqrt{\lg n})$ bits for the bucket representation. So they can be implemented in constant time using a lookup table of size $\exp(O(\lg^{3/4} n \cdot \lg \lg n)) \cdot O(\lg n) = n^{o(1)}$ bits.

It remains to implement the random permutations. We can simply generate $O(\lg \lg n)$ random permutations on the universe $[v]$, and create a lookup table with the packed output of all permutations, applied to each possible input. This takes space $\exp(O(\sqrt[4]{\lg n})) \cdot O(\lg n)$ bits. We cannot afford such a collection of random permutations for each bucket, but we can re-use just a few random permutations. In particular, we can generate $n^{2/3}$ independent lookup tables, and use each one for an equal share of the buckets. Then, the number of elements that get passed to the third level because they are not handled by any filter inside their bucket is the sum of $n^{2/3}$ independent components. By the Chernoff bound, the expectation (analyzed above) is exceeded by a constant factor only with exponentially small probability.

4 Solution for Perfect Hashing

The data structure supporting perfect hashing but not membership consists of one quotient hash function, selected from the family of Theorem 5, and two instances of the data structure of Theorem 4 supporting perfect hashing and membership. The quotient hash function divides the universe into b buckets, and we set $b = \frac{cn^2}{t+1}$ for a constant $c \geq 1$ to be determined.

The first data structure supporting perfect hashing and membership stores the set B of buckets occupied by at least one element of S . An entry in B effectively represents an element of S that is mapped to that bucket. However, we have no way of knowing the exact element. The second data structure supporting perfect hashing and membership stores the additional elements of S , which at the time of insertion were mapped to a bucket already in B .

Insertions check whether the bucket containing the element is in B . If not, we insert it. Otherwise, we insert the element into the second data structure. Deletions proceed in the reverse order. First, we check whether the element is listed in the second data structure, in which case we delete it from there. Otherwise, we delete the bucket containing the element from the first data structure.

The range of the first perfect hash function should be $[n + \frac{t}{2}]$. For the second one, it should be $[\frac{t}{2}]$; we show below that this is sufficient with high probability. Thus, we use $[n + t]$ distinct hashcodes in total. To perform a query, we first check whether the element is listed in the second data structure. If it is, we return the label reported by that data structure (offset by $n + \frac{t}{2}$ to avoid the hashcodes from the first data structure). Otherwise, because we assume that the element is in S , it must be represented by the first data structure. Thus, we compute the bucket assigned to the element by the quotient hash function, look up that bucket in the first data structure, and return its label.

It remains to analyze the space requirement. We are always free to reduce t , so we can assume $t = O(n/\lg \frac{n}{t})$, simplifying our space bound to $O(n \lg \frac{n}{t+1})$. Because $|B| \leq n$, the first data structure needs space $O(\lg \binom{b}{n} + n \lg \frac{n}{t+1}) = O(n \lg \frac{b}{n} + n \lg \frac{n}{t+1}) = O(n \lg \frac{n}{t+1})$, which is within the desired bound.

Because $b \geq n$, our family of hash functions guarantees that, with high probability, the number of elements of S that were mapped to a nonempty bucket at the time of their insertion is at most $\frac{2n^2}{b} + n^\alpha = \frac{2(t+1)}{c} + n^\alpha$. If $n^\alpha < \frac{t}{8}$, this is at most $\frac{t}{4}$ for sufficiently large c . If $t = O(n^\alpha)$, we can use a brute-force solution: first, construct a perfect hashing structure with $t = n$ (this is possible through the previous case); then, relabel the used positions in the $[2n]$ range to a minimal range of $[n]$, using $O(n \lg n)$ memory bits.

Given this bound on the number of elements in the second structure, note that the number of hashcodes allowed ($t/2$) is double the number of elements. Thus the space required by the second

structure is $O(\lg \binom{u}{t/4} + t) = O(t \lg \frac{u}{t}) = O(\frac{n}{\lg(u/n)} \lg \frac{u}{n/\lg(u/n)}) = O(n)$.

5 Lower Bound for Perfect Hashing

This section proves Theorem 2 assuming $u \geq 2n$. We defer case of smaller u to the full version. Our lower bound considers the dynamic set S which is initially $\{n+1, \dots, 2n\}$ and is transformed through insertions and deletions into $\{1, \dots, n\}$. More precisely, we consider $\frac{n}{2t}$ stages. In stage i , we pick a random subset $D_i \subseteq S \cap \{n+1, \dots, 2n\}$, of cardinality $2t$. Then, we delete the elements in D_i , and we insert elements $I_i = \{(i-1)2t+1, \dots, i \cdot 2t\}$. Note than, in the end, the set is $\{1, \dots, n\}$. By the easy direction of Yao's minimax principle, we can fix the random bits of the data structure, such that it uses the same expected space over the input distribution.

Our strategy is to argue that the data structure needs to remember a lot of information about the history, i.e. there is large hysteresis in the output of the perfect hash function. Intuitively, the $2t$ elements inserted in each stage need to be mapped to only $3t$ positions in the range: the t positions free at the beginning of the stage, and the $2t$ positions freed by the recent deletes. These free positions are quite random, because we deleted random elements. Thus, this choice is very constrained, and the data structure needs to remember the constraints.

Let h be a function mapping each element in $[2n]$ to the hashcode it was assigned; this is well defined, because each element is assigned a hashcode exactly once (though for different intervals of time). We argue that the vector of sets $(h(I_1), \dots, h(I_{n/2t}))$ has entropy $\Omega(n \lg \frac{n}{t})$. One can recover this vector by querying the final state of the data structure, so the space lower bound follows.

We first break up the entropy of the vector by: $H(h(I_1), \dots, h(I_{n/2t})) = \sum_j H(h(I_j) \mid h(I_1), \dots, h(I_{j-1}))$. Now observe that the only randomness up to stage j is in the choices of D_1, \dots, D_{j-1} . In other words, D_1, \dots, D_{j-1} determine $h(I_1), \dots, h(I_{j-1})$. Then, $H(h(I_1), \dots, h(I_{n/2t})) \geq \sum_j H(h(I_j) \mid D_1, \dots, D_{j-1})$. To alleviate notation, let $D_{<j}$ be the vector (D_1, \dots, D_{j-1}) .

Now we lower bound each term of the sum. Let F_j be the set of free positions in the range at the beginning of stage j . Because we made the data structure deterministic, F_j is fixed by conditioning on $D_{<j}$. Because I_j can be mapped to free positions only after D_j is deleted, we find that $h(I_j) \subset F_j \cup h(D_j)$. Note that $|h(I_j)| = 2t$, but $|F_j| = t$. Thus, $|h(D_j) \setminus h(I_j)| \leq t$.

Now we argue that the entropy of $h(D_j)$ is large. Indeed, D_j is chosen randomly from $S \cap \{n+1, \dots, 2n\}$, a set of cardinality $n - 2t(j-1)$. Conditioned on $D_{<j}$, the set $S \cap \{n+1, \dots, 2n\}$ is fixed, so its image through h is fixed. Then, choosing D_j randomly is equivalent to choosing $h(D_j)$ randomly from a fixed set of cardinality $n - 2t(j-1)$. So $H(h(D_j) \mid D_{<j}) = \lg \binom{n-2t(j-1)}{2t}$. Now consider $h(D_j) \setminus h(I_j)$. This is a set of cardinality at most t from the same set of $n - 2t(j-1)$ positions. Thus, $H(h(D_j) \setminus h(I_j) \mid D_{<j}) \leq \lg \binom{n-2t(j-1)}{t} + t$.

Using $H(a, b) \leq H(a) + H(b)$, we have

$$H(h(D_j) \mid D_{<j}) \leq H(h(D_j) \cap h(I_j) \mid D_{<j}) + H(h(D_j) \setminus h(I_j) \mid D_{<j}).$$

Of course, $H(h(I_j) \mid D_{<j}) \geq H(h(I_j) \cap h(D_j) \mid D_{<j})$. This implies

$$\begin{aligned} H(h(I_j) \mid D_{<j}) &\geq H(h(D_j) \mid D_{<j}) - H(h(D_j) \setminus h(I_j) \mid D_{<j}) \\ &\geq \lg \binom{n-2t(j-1)}{2t} - \lg \binom{n-2t(j-1)}{t} - t. \end{aligned}$$

Using $\binom{a}{b} / \binom{a}{c} = \binom{a-c}{b}$, we have $H(h(I_j) \mid D_{<j}) \geq \lg \binom{n-2t(j-1)}{2t} - t$. For $j \leq \frac{n}{3t}$, we have

$H(h(I_j) \mid D_{<j}) = \Omega(t \lg \frac{n}{t})$. We finally obtain $H(h(I_1), \dots, h(I_j)) = \Omega(n \lg \frac{n}{t})$, concluding the proof.

Acknowledgement. Part of this work was done at the Oberwolfach Meeting on Complexity Theory, July 2005.

References

- [1] Stephen Alstrup, Gerth Brodal, and Theis Rauhe. Optimal static range reporting in one dimension. In *Proc. 33rd ACM Symposium on Theory of Computing (STOC)*, pages 476–482, 2001.
- [2] Andrej Brodnik and J. Ian Munro. Membership in constant time and almost-minimum space. *SIAM Journal on Computing*, 28(5):1627–1640, 1999. See also ESA’94.
- [3] Bernard Chazelle, Joe Kilian, Ronitt Rubinfeld, and Ayellet Tal. The Bloomier filter: an efficient data structure for static support lookup tables. In *Proc. 15th ACM/SIAM Symposium on Discrete Algorithms (SODA)*, pages 30–39, 2004.
- [4] Martin Dietzfelbinger and Friedhelm Meyer auf der Heide. A new universal class of hash functions and dynamic hashing in real time. In *Proc 17th International Colloquium on Automata, Languages and Programming (ICALP)*, pages 6–19, 1990.
- [5] Martin Dietzfelbinger, Anna Karlin, Kurt Mehlhorn, Friedhelm Meyer Auf Der Heide, Hans Rohnert, and Robert E. Tarjan. Dynamic perfect hashing: Upper and lower bounds. *SIAM Journal on Computing*, 23(4):738–761, 1994. See also FOCS’88.
- [6] Michael L. Fredman and János Komlós. On the size of separating systems and families of perfect hash functions. *SIAM Journal on Algebraic and Discrete Methods*, 5(1):61–68, 1984.
- [7] Michael L. Fredman, János Komlós, and Endre Szemerédi. Storing a sparse table with $O(1)$ worst case access time. *Journal of the ACM*, 31(3):538–544, 1984. See also FOCS’82.
- [8] Torben Hagerup and Torsten Tholey. Efficient minimal perfect hashing in nearly minimal space. In *Proc. 18th Symposium on Theoretical Aspects of Computer Science (STACS)*, pages 317–326, 2001.
- [9] Eyal Kaplan, Moni Naor, and Omer Reingold. Derandomized constructions of k -wise (almost) independent permutations. In *Proc. 9th International Workshop on Randomization and Approximation Techniques in Computer Science (RANDOM)*, pages 354–365, 2005.
- [10] Christian Worm Mortensen, Rasmus Pagh, and Mihai Pătraşcu. On dynamic range reporting in one dimension. In *Proc. 37th ACM Symposium on Theory of Computing (STOC)*, pages 104–111, 2005.
- [11] Rasmus Pagh. Low redundancy in static dictionaries with constant query time. *SIAM Journal on Computing*, 31(2):353–363, 2001. See also ICALP’99.
- [12] Rajeev Raman, Venkatesh Raman, and S. Srinivasa Rao. Succinct indexable dictionaries with applications to encoding k -ary trees and multisets. In *Proc. 13th ACM/SIAM Symposium on Discrete Algorithms (SODA)*, pages 233–242, 2002.
- [13] Rajeev Raman and S. Srinivasa Rao. Succinct dynamic dictionaries and trees. In *Proc. 30th International Colloquium on Automata, Languages and Programming (ICALP)*, pages 357–368, 2003.
- [14] Jeanette P. Schmidt, Alan Siegel, and Aravind Srinivasan. Chernoff-Hoeffding bounds for applications with limited independence. *SIAM Journal on Discrete Mathematics*, 8(2):223–250, 1995. See also SODA’93.
- [15] Alan Siegel. On universal classes of extremely random constant-time hash functions. *SIAM Journal on Computing*, 33(3):505–543, 2004.